

# EU Type Examination Certificate

Date: 2020/04/10

n. **775201503/OE**

Validity:  
2025/04/09

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: **JIANGMEN PENGCHENG HELMETS LIMITED**  
(Responsible of the PPE) Ind. Park East, – GONGHE TOWN HESHAN JIANGMEN - CHINA

Type of PPE: **Motorcyclist's protective garments – jacket**

Category of PPE: **II** : "medium" risks.  
This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model: **"ENDURANCE MAN JACKET" (MJ119LS2-E)**  
3 colorways

Description: DESCRIPTION of the **BLACK/RED** colour variant(\*):

**BLACK/RED**  
FRONT



BACK



(\*) The jacket is available also in the following **col. variants**:

- **DARK BLUE/BLACK/ HI-VI YELLOW;**
- **SAND/BLACK/BLUE.**

external side: black fabric declared art. "450D Oxford fabric" (1040419008); black fabric declared Polyester art. "Grid Pattern" (1150207010); dark grey reflective fabric (1110100001); red fabric declared art. "600D oxford fabric" (1050218006); black fabric declared Nylon with Elastic fabric (1030700003); black fabric declared Neoprene 1mmSBR (1030100010); internal side: black fabric declared Neoprene 1mmSBR (1030100010); black fabric art. "228T Taslon" (1150129001); black fabric declared Lycra (1030600001); black fabric declared velvet fabric + white vilene 2016F (1140302011); black mesh fabric (1100600009); external removable lining: black fabric declared Polyester fabric (without coating) art. "210T" (1070210001); white fabric declared Polyester padding art. "800#" (1080400003); black fabric declared Polyester fabric with LS2 logo (without coating) (1070410006); black fabric art. "laminated black fabric with thermol press sponge" (5060200002); black fabric declared art. "KE50 Elastic Fabric" (1030500001); internal removable lining: black fabric declared 210TPolyester fabric (with coating) art. "210T" (1070229005); black fabric art. "FH230 Tape" (2070200020); black fabric art. "228T Taslon" (1150129001); mid layer: black fabric declared Polyester art. "500D Imitate Cordura" (1050219001); main fastening: metallic zipper (303258130100540) in contact with the user and Velcro; sleeve and wrist closure: metallic zipper (302225243000006); external pockets: external in black fabric declared art. "450D Oxford fabric" (1040419008) and internal in black fabric art. "230T Chemical fibre fabric" (1130000027) with metallic zipper; internal pockets: external in black fabric art. "228T Taslon" (1150129001) and internal in black mesh fabric (1100600009) with Velcro; black fabric declared "Dry-Pocket with LS2 logo" (2420101008); protectors pocket: shoulder / elbow: black mesh fabric (1100600006) with Velcro; back: black mesh fabric (1100600009) with metallic zipper; vents: black perforated fabric art. "K086 Mesh Fabric" (1100000010) with metallic zipper.

## CE certified protectors inserted in the jacket:

- shoulder protector: "Part 750.14" by SHANGHAI CHANGCHANG POLYMERS;
- elbow protector: "Part 750.13" by SHANGHAI CHANGCHANG POLYMERS;
- back protector (optional): "SC-1/15" and "SC-1/15 XL" by SAS TEC or "851" by SAFE TECH.

Technical Standard: **EN ISO 13688:2013** Protective clothing – general requirements

**FprEN 17092-3:2019**  
(version 2019/03) Protective garments for motorcycle riders – Part 3: Class AA garments – Requirements

# EU Type Examination Certificate


Date: 2020/04/10

n. **775201503/OE**

Validity:  
2025/04/09

Intended use:	Motorcycling: preventive use – <u>correct fitting and positioning of the inner protections are essential</u> – the protective functions are guaranteed only by the jackets + protectors correctly inserted.
Size range:	Men's commercial sizes: from S to 5XL
Technical File:	<b>DC-11949</b>
Test report:	<b>RCT n° 3910427.01/E</b>
Protective functions:	The garment offers limited protection against mechanical risks arising from impact and abrasion in case of a fall while participating in motorcycling activities: CE-Certified incorporated impact protectors provide strengthened protection.
Typical test results obtained:	This PPE item has reached the following performance: <b>Class AA (*)</b> = <u>Medium-duty protective garments</u> : the second highest level of protection, against the risks of the greatest diversity of riding activities. These garments are expected to have lower ergonomic and weight penalties than AAA garments, which some riders will not find acceptable for their specific riding activities. Protective function is linked to the correct fit of the garment - also the inner impact protectors must be kept in their place: this falls within the responsibility of the user.  (*) = The applied Technical Draft document provides different levels of protection for garments including protectors/shells: from class AAA (highest level of performance) to class AA (medium level) to class A (lower level); - class B for garments not including protectors / shells = just abrasion protection; - class C for Impact protector ensemble garments.
(see also Test Report)	
Marking:	printed on a label, including the following information: - <b>CE Marking</b> ; - brand (= LS2) and legal Name of the Manufacturer; - PPE item - unambiguous designation; - pictogram indicating intended use (motorcycling) + nr/year of the Technical Draft of reference + indication of the class of protection achieved; - pictogram "i in the booklet" inviting the final user to read the User Manual; - on other different labels: "Made in...", composition materials, size label, care and washing instructions etc.

**BLACK/RED**



JIANGMEN PENGCHENG HELMETS LIMITED

FRONT



BACK



## EU Type Examination Certificate

Date: 2020/04/10

n. **775201503/OE**

Validity:  
2025/04/09

### DARK BLUE/BLACK/HI-VI YELLOW

FRONT



BACK



### SAND/BLACK/BLUE

FRONT



BACK



NOTE: The Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

