



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4729/161/03/23/0558

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Issued to : Jiangmen Pengcheng Helmets Co.,Ltd
No.01-7, Dongsheng Road, Gonghe Town, 529728 Heshan
Guangdong P.R.CHINA
CHINA

Description

PPE Type : *motorcycle footwear*
Reference standard : EN 13634:2017
Product reference : ACRUX MAN BOOT
Article code: BLK MBL011-1; BLU MBL011-1
Size range : 39-46
Protection level : 1 2 2 1 IPA
Pictures :



ACRUX MAN BOOTS BLK MBL011-1



ACRUX MAN BOOTS BLU MBL011-1



At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MARCH 2023 and the user notice index V.DEC01, 2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification Manager

Date of first issue : 30 March 2023
End of validity date : 30 March 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Jiangmen Pengcheng Helmets Co.,Ltd

MANUFACTURER'S TECHNICAL FILE

Reference of the product :

ACRUX MAN BOOT

Article code :

**BLK MBL011-1; BLU
MBL011-1**

Technical file index :

01

Last update :

MARCH 2023

IDENTIFICATION

Reference of the product :	ACRUX MAN BOOT
Article code :	BLK MBL011-1; BLU MBL011-1
Basic model	
Technical file index :	01
Last update :	MARCH 2023

Manufacturer :

Jiangmen Pengcheng Helmets Co.,Ltd
No.01-7, Dongsheng Road, Gonghe Town, 529728 Heshan Guangdong P.R.CHINA
CHINA

tel : 0086-750-8309206

fax : 0086-750-8309228

Factory :

Guangdong Petcher Footwear Ltd
No.2 Qiaojiang Road, Dahuai, Enping, Guangdong, P.R. C
CHINA

Tel : +86 0750 7474777

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
Specific application	Motorcycle footwear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR DESCRIPTION

Footwear description:

Motorcycle footwear

Visual description:

General view :



ACRUX MAN BOOTS BLK MBL011-1



ACRUX MAN BOOTS BLU MBL011-1

Outsole view :



Reference of the mould : 2243#

Range of sizes :

39-46

Manufacturing process :

Material purchase-cutting-stitching-lasting-sole laying-cleaning-package

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	610D	FABRIC	BLACK/BLUE
		PU(STRAP/UPPER ORNAMENT)	BLACK
		RUBBER PIECE AND STRAP END	BLACK/ORANGE
		PLASTIC EYELET [PEP-R692]	BLAC/ORANGE
COLLAR	610D	FABRIC	BLACK/BLUE
TONGUE	610D	FABRIC	BLACK/BLUE
VAMP LINING	009	SANDWICH MESH	BLACK/GREY
QUARTER LINING	009	SANDWICH MESH (QUARTER & TONGUE AND COLLAR LINING)	BLACK/GREY
	PEP-MF	MICROFIBER	BLACK
INSOLE	PEP-PI	PEP-FIBER INSOLE BOARD	LT.GREEN
IN SOCK	PEP-ISK	MESH+PU FOAM PERFORATED REMOVABLE IN SOCK	BLACK/BLUE
OUTSOLE	2243#	RUBBER SOLE	BLACK/WHITE
ANKLE PROTECTOR	PEP-IPA	FABRIC+THEMOD PLASTIC PERFORATED BACKING+PU +FOAM +SANDWICH MESH	BLACK/BLUE
COMPLEXES	ACRUX-UA-B1	FABRIC+THEMOD PLASTIC PERFORATED BACKING +SANDWICH MESH	BLACK/BLUE
	ACRUX-UA-B2	FABRIC+FOAM + SANDWICH MESH	BLACK

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a motorcycle footwear

This product meets the essential requirements of the Personal Protection Equipment Regulation 2016/425

The technical rules are :

EN 13634 : 2017 or EN 13634 : 2015 - Protective footwear for motorcycle riders

Height of upper	1
Abrasion resistance of upper	2
Cut resistance of upper	2
Transverse rigidity of outsole	1

It is a category II product.


At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :


Impact Energy protection of ankle (IPA)

MARKING - PACKAGING

Information printed on the footwear :

- *  marking
- * reference of the model : ACRUX MAN BOOT
- * Article Code : BLK MBL011-1; BLU MBL011-1
- * size
- * Logo of the manufacturer
- * Postal address of manufacturer
- * Manufacturer's type designation
- * The number and year of the Standard used
- * The motorcyclist pictogram
- * The levels of basic requirements
- * The additional requirements

Marking example :



The location of marking is : TONGUE

Method of marking on the footwear :

Print on the tongue

Packaging :

Shoe box and carton

Peremption period :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : WWW.LS2HELMETS.COM

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
CTC	D221125427_1	CTC	D221228631_1
CTC	D221227750_1		

MEANS OF CONTROL

1. Prepare material: found suppliers whose material can reach the requirement of EN13634:2017, such as PH value, Cr VI and dye fastness for leather;
2. Receive material: When received raw materials, we will determined their quality from physical and chemical aspects by submitting samples to testing company, we will use them after relevant items passed;
3. Cutting: cut the material reasonably ,for example: skipped unacceptable defects and carefully made suede leather and embossed leather in pair,etc;
4. Stitching: avoid skipped stitches, uneven stitches, and so forth;
5. Lasting: made sure lasting tightly and evenly enough, and adequate width of bonding;
6. Sole adhesion: buffed and brushed glue correctly, and ensure the adequate time for high-temperature oven and outsole press;
7. Testing for finished shoes: take samples at random for relevant testing, such as bond strength between upper and sole;
8. Clean: clean the shoes carefully.
9. final inspection: our QC will pick some cartons for inspection at random.
10. during batch produce, we will check the protection of boots strictly by checking the property of upper abrasion resistance, impact cut resistance,transverse rigidity of boots.